



**United Nations  
Environment  
Programme**

Distr.: General  
4 March 2005

English only

---

**Conference of the Parties of the Stockholm  
Convention on Persistent Organic Pollutants  
First meeting**  
Punta del Este, Uruguay, 2–6 May 2005  
Item 6 (j) of the provisional agenda\*

**Matters for consideration or action by the Conference of the Parties:  
effectiveness evaluation**

## **Global inventory of persistent organic pollutant laboratories**

### **Note by the Secretariat**

The annex to the present note contains information provided by the United Nations Environment Programme. The annex has not been formally edited.

---

\* UNEP/POPS/COP.1/1.

**Annex**



**UNITED NATIONS  
ENVIRONMENT PROGRAMME  
CHEMICALS**



# Global Inventory of POPs Laboratories

1<sup>st</sup> edition  
June 2004



Prepared by UNEP Chemicals  
Geneva, Switzerland

**IOMC**

INTER-ORGANIZATION PROGRAMME FOR THE SOUND MANAGEMENT OF CHEMICALS  
A cooperative agreement among UNEP, ILO, FAO, WHO, UNIDO, UNITAR and OECD





**UNITED NATIONS  
ENVIRONMENT PROGRAMME  
CHEMICALS**



# Global Inventory of POPs Laboratories

1<sup>st</sup> edition  
June 2004

Prepared by UNEP Chemicals  
Geneva, Switzerland

**IOMC**

INTER-ORGANIZATION PROGRAMME FOR THE SOUND MANAGEMENT OF CHEMICALS  
A cooperative agreement among UNEP, ILO, FAO, WHO, UNIDO, UNITAR and OECD

This publication was financed by Canada through the Canadian POPs Trust Fund and is produced within the framework of the Inter-Organization Programme for the Sound Management of Chemicals (IOMC).

**The Inter-Organization Programme for the Sound Management of Chemicals (IOMC)**, was established in 1995 by UNEP, ILO, FAO, WHO, UNIDO and OECD (Participating Organizations), following recommendations made by the 1992 UN Conference on Environment and Development to strengthen cooperation and increase coordination in the field of chemical safety. In January 1998, UNITAR formally joined the IOMC as a Participating Organization. The purpose of the IOMC is to promote coordination of the policies and activities pursued by the Participating Organizations, jointly or separately, to achieve the sound management of chemicals in relation to human health and the environment.

Material in this publication may be freely quoted or reprinted, but acknowledgement is requested together with a reference to the document. A copy of the publication should be sent to UNEP Chemicals.

Available from:  
UNEP Chemicals  
11-13, Chemin des Anémones  
CH-1219 Châtelaine, GE  
Switzerland

Phone: + 41 22 9171234  
Fax: + 41 22 7973460  
E-mail: [chemicals@unep.ch](mailto:chemicals@unep.ch)  
Web: [www.chem.unep.ch](http://www.chem.unep.ch)

*UNEP Chemicals is part of UNEP's Technology, Industry and Economics Division*

## Foreword

The Stockholm Convention on POPs entered into force on 17<sup>th</sup> May 2004. As of 22 June 2004 the Convention has 68 Parties. The first session of the Conference of the Parties is scheduled to take place 2-6 May 2005 in Punta del Este, Uruguay.

The objective of the Stockholm Convention on POPs is to protect human health and the environment from the persistent organic pollutants, taking into account the precautionary approach as stated in the Rio Declaration. Parties have agreed that they need a mechanism to measure whether this objective is reached. According to Article 16 of the Convention its effectiveness shall be evaluated starting four years after the date of entry into force of the Convention and periodically thereafter at intervals to be decided by the Conference of the Parties.

In order to facilitate the evaluation, the Conference of the Parties shall, at its first meeting, initiate the establishment of arrangements to provide itself with comparable monitoring data on the presence of the chemicals listed in Annexes A, B and C of the Convention as well as their regional and global environmental transport. The evaluation shall be conducted on the basis of available scientific, technical and economic information, including e.g. reports and other monitoring information.

To facilitate the effectiveness evaluation under the Stockholm Convention UNEP Chemicals has initiated an activity that aims at linking together existing national, regional and global activities on POPs monitoring. In many countries and regions the capacity and capability to participate fully in such a programme is lacking. Capacity building and transfer of technology and know how is needed to improve the situation. As a first step there is a need to get an overview of laboratory capacity for POPs analysis worldwide.

With a view to amend this situation UNEP Chemicals has initiated work to create a global inventory of POPs laboratories, which would also provide information on the technical and analytical capabilities of each laboratory so that potential partners for a POPs Global Monitoring Programme may be identified. The inventory is accessible on the POPs GMP website (<http://www.chem.unep.ch/gmn/default.htm>). The present hard copy document represents the state of the art as of June 2004. It is hoped that laboratories will continue to provide information on their capacities and capabilities through the webpage so that the inventory can be continually updated.

This activity was supported by funding from the Canadian POPs Trust Fund. Their generous support is gratefully acknowledged. UNEP Chemicals also wishes to thank all laboratories that have responded and contributed to the present inventory. The inventory was developed by Dr. Linn Persson, UNEP Chemicals.



# TABLE OF CONTENTS

<b>EXPLANATIONS TO FIELDS</b> .....	<b>3</b>
<b>AFRICA</b> .....	<b>5</b>
BURKINA FASO .....	5
CÔTE D’IVOIRE .....	6
DJIBOUTI.....	7
EGYPT .....	8
GHANA .....	10
GUINÉE .....	13
KENYA .....	14
LIBERIA.....	15
MALI.....	16
MAURITIUS, REPUBLIC OF.....	17
MOROCCO.....	18
NAMIBIA.....	19
NIGER.....	20
SENEGAL.....	21
SOUTH AFRICA .....	22
SUDAN.....	24
TANZANIA .....	25
TUNISIA.....	26
UGANDA .....	27
ZAMBIA.....	28
<b>ASIA &amp; PACIFIC</b> .....	<b>29</b>
BAHRAIN.....	29
CAMBODIA .....	30
CHINA .....	31
FIJI .....	34
INDIA.....	35
JORDAN.....	36
KAZAKHSTAN .....	37
KOREA, REPUBLIC OF.....	38
KUWAIT .....	47
LEBANON.....	48
MALAYSIA.....	49
MICRONESIA.....	52
MYANMAR.....	53
PAKISTAN .....	54
PALAU, REPUBLIC OF.....	58
PHILIPPINES.....	59
SINGAPORE .....	60
SRI LANKA .....	61
TAJKISTAN .....	63
THAILAND.....	64
THAILAND.....	64
TONGA .....	65
VIETNAM .....	66
<b>CENTRAL AND EASTERN EUROPE</b> .....	<b>67</b>
AZERBAIJAN.....	67
BELARUS.....	68
BULGARIA .....	70
CROATIA .....	74
CZECH REPUBLIC.....	81
ESTONIA.....	91

GEORGIA.....	93
HUNGARY.....	94
LATVIA.....	95
LITHUANIA.....	96
MOLDOVA, REPUBLIC OF.....	97
POLAND.....	99
RUSSIA.....	103
SERBIA AND MONTENEGRO.....	104
SLOVAKIA.....	105
SLOVENIA.....	117
UKRAINE.....	118
<b>LATIN AMERICA &amp; CARIBBEAN.....</b>	<b>121</b>
ANTIGUA AND BERMUDA.....	121
ARGENTINA.....	122
BAHAMAS.....	129
BARBADOS.....	130
BRAZIL.....	131
CHILE.....	136
COLOMBIA.....	137
COSTA RICA.....	138
CUBA.....	139
ECUADOR.....	140
GUATEMALA.....	143
HONDURAS.....	144
MEXICO.....	145
PANAMÁ.....	148
ST LUCIA.....	149
<b>WESTERN EUROPE AND OTHER STATES GROUP.....</b>	<b>150</b>
AUSTRALIA.....	150
AUSTRIA.....	151
BELGIUM.....	152
CANADA.....	154
CYPRUS.....	160
DENMARK.....	161
FINLAND.....	162
FRANCE.....	164
GERMANY.....	167
GREECE.....	173
IRELAND.....	174
ITALY.....	175
LUXEMBOURG.....	176
MONACO.....	177
NETHERLANDS.....	178
NEW ZEALAND.....	181
NORWAY.....	182
PORTUGAL.....	184
SPAIN.....	185
SWEDEN.....	186
SWITZERLAND.....	190
UNITED KINGDOM.....	193
USA.....	196

## Explanations to fields

### Region

Countries have been divided into the following regions:

Africa

Asia and Pacific

Central and Eastern Europe (CEE)

Latin America and Caribbean

Western Europe and Other States Group (WEOG)

### Equipment available

GC-ECD - Capillary Gas Chromatography with Electron Capture Detection

GC-LRMS - Capillary Gas Chromatography with Low Resolution Mass Spectrometry

GC-HRMS - Capillary Gas Chromatography with High Resolution Mass Spectrometry

### Chemicals analysed

Chlordane includes cis- and trans-chlordane, cis and trans-nonachlor, and oxychlordane. Some laboratories also analyse U83, U85, MC5 and MC6.

Heptachlor includes heptachlorepoxyde

DDT includes 4,4'-DDE, 4,4'-DDD and 4,4'-DDT. Some laboratories also analyse the 2,4' isomers.

Toxaphene includes the congeners P26, P50 and P62.

### PCB

Non congener specific: analysed as Aroclor mixture or as individual congeners not corresponding to the sum of 7 or 30 (see below).

SPCB<sub>7</sub> corresponds to the congeners CB 28/31, 52, 101/90, 118, 138, 153, and 180.

SPCB<sub>30</sub> corresponds to the congeners CB 8/5, 18, 28, 31, 44, 49, 52, 95/66, 87, 99, 101, 105/132, 110, 118, 128, 146, 149, 151, 153, 138/163, 156, 183, 187, 201/157, 170, 180, 194, 195, 206, 209.

PCBs with TEFs corresponds to congeners 77, 81, 105, 114, 118, 123, 126, 156, 157, 167, 169, 189.

PCDD/F includes the 2,3,7,8-substituted tetra- to octachlorodibenzo-*p*-dioxins and dibenzofurans (17 compounds)

### Matrices

Matrices in which the laboratory analyses the Stockholm Convention POPs.

The GMP matrices are human milk, bivalves, fish, marine mammals or birds, and air.

## **QA/QC system**

Accreditation for POPs analysis in the GMP matrices or well defined and systematic quality control in the laboratory.

## **Participation in international inter-calibrations**

Participation in at least one international inter-calibration exercise during the last 3 years involving at least one of the GMP matrices and substances.

## **Tier assignment**

UNEP Chemicals has performed a tier assignment based on the information supplied by each laboratory. Criteria for the tier level assignment is based on the outcome of the discussions of the workshop on global monitoring of POPs organized by UNEP Chemicals in March 2003. The tier assignment only refers to the capacities to perform analysis of the Stockholm Convention POPs and does not indicate over all performance of a laboratory.

The tier level is assigned according to the following criteria:

**Tier 1** – Performs congener specific PCB and PCDD/F analysis using HRGC/HRMS in at least one of the GMP matrices. Has participated in at least one international inter-calibration including at least one of the GMP matrices and Stockholm Conventions POPs, during the last three years.

**Tier 2** – Performs congener specific PCB analysis (SPCB<sub>7</sub>) using HRGC/LRMS in at least one of the GMP matrices.

**Tier 3** – Performs congener specific PCB analysis (SPCB<sub>7</sub>) using HRGC/ECD in at least one of the GMP matrices.

**Tier 4** – Laboratories that analyse POPs in other matrices than the GMP matrices, or laboratories that do not do congener specific PCB analysis (SPCB<sub>7</sub>).

For completeness countries that have reported having no POPs laboratory are also included in the database and their contact person is registered with “**contact person**”. Laboratories that do not perform analysis of any of the Stockholm Convention POPs are assigned with “**Laboratory without POPs analysis**”.

# Africa

## ***Burkina Faso***

<b>Name of Laboratory:</b>	Waste Water Analysis Laboratory
<b>Address:</b>	O3 BP 7044 Ouagadougou
<b>Country:</b>	Burkina Faso
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mrs. Desiré Ouedraogo
<b>E-mail:</b>	desireouedraogo@yahoo.fr
<b>Tel.:</b>	226-302867
<b>Fax:</b>	226-302866
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## **Côte d'Ivoire**

<b>Name of Laboratory:</b>	Coordinateur du Project Pilote sur les PCB
<b>Address:</b>	20 BP 650 Abidjan 20
<b>Country:</b>	Côte d'Ivoire
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Zadi Dakouri Raphaël
<b>E-mail:</b>	zadid@aviso.ci
<b>Tel.:</b>	225-20216026
<b>Fax:</b>	225-20222050
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## ***Djibouti***

<b>Name of Laboratory:</b>	National Focal Point for the Stockholm Convention Ministère de l'Habitat, de l'Urbanisme, de l'Environnement et de l'Aménagement du Territoire
<b>Address:</b>	B.P 721
<b>Country:</b>	Djibouti
<b>Region:</b>	Africa
<b>Contact Person:</b>	M. Farah Ali Ainan
<b>E-mail:</b>	ainanfarah@yahoo.fr
<b>Tel.:</b>	253-351775
<b>Fax:</b>	253-352580
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## ***Egypt***

<b>Name of Laboratory:</b>	Cairo Central Centre Egyptian Environmental Affairs Agency
<b>Address:</b>	30, Misr Helwan Elzyrae Road., Maadi 11728 Cairo
<b>Country:</b>	Egypt
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Marwa Adly Abdallah
<b>E-mail:</b>	mwaheb@hotmail.com
<b>Tel.:</b>	02-5266162
<b>Fax:</b>	02-5256490
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/LRMS ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b> No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b> Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	Central Laboratory of Residue Analysis of Pesticides and Heavy Metals in Food
<b>Address:</b>	7 Nadi EL-Said Street, Dokki 12311 Giza
<b>Country:</b>	Egypt
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Mohamed Hassan EL-Elimi
<b>E-mail:</b>	alelimi@hotmail.com
<b>Tel.:</b>	202-7611282
<b>Fax:</b>	202-7611106
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Human milk ; Fish ; Marine mammals or birds	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

## Ghana

<b>Name of Laboratory:</b>	Department of Chemistry National Nuclear Research Institute
<b>Address:</b>	PO Box LG 80 Legon Accra
<b>Country:</b>	Ghana
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. P.O. Yeboah
<b>E-mail:</b>	paynsave@ighmail.com
<b>Tel.:</b>	233-21-401406
<b>Fax:</b>	233-400312
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
DDT	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Soil/sediment ; Plants	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Water Research Organic Laboratory CSIR-Water Research Institute
<b>Address:</b>	Box M32 Accra
<b>Country:</b>	Ghana
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Osmund D. Ansa-Asare
<b>E-mail:</b>	osmundansaasare@yahoo.ca
<b>Tel.:</b>	233-21-779514
<b>Fax:</b>	233-21-777170
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Ghana Standards Board Chemical Science Lab
<b>Address:</b>	PO Box MB 245 Accra
<b>Country:</b>	Ghana
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mrs. Lysbeth Adetola
<b>E-mail:</b>	lysadetola2002@yahoo.com
<b>Tel.:</b>	233-21501937
<b>Fax:</b>	
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Chlordane ; DDT ; Dieldrin ; Toxaphene	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Human blood	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Guinée

<b>Name of Laboratory:</b>	Laboratoire d'analyse environnementales
<b>Address:</b>	CÉRE BP 3817 Conacry
<b>Country:</b>	Guinée
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Alpha Abdoulaye Sow
<b>E-mail:</b>	soablaye@hotmail.com
<b>Tel.:</b>	224-465637
<b>Fax:</b>	224-465637
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Kenya

<b>Name of Laboratory:</b>	Department of Chemistry University of Nairobi
<b>Address:</b>	P.O. Box 30197 Nairobi
<b>Country:</b>	Kenya
<b>Region:</b>	Africa
<b>Contact Person:</b>	Prof. S.O. Wandiga
<b>E-mail:</b>	sowandiga@iconnect.co.ke
<b>Tel.:</b>	254-20-4446140
<b>Fax:</b>	254-4446138
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## ***Liberia***

<b>Name of Laboratory:</b>	POPs and Chemicals Focal Point Environmental Protection Agency
<b>Address:</b>	P.O. Box 5597 Monrovia
<b>Country:</b>	Liberia
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Henry O. Williams
<b>E-mail:</b>	pocal54@yahoo.com
<b>Tel.:</b>	37-747-514725
<b>Fax:</b>	37-261-227838
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## **Mali**

<b>Name of Laboratory:</b>	Laboratoire central Vétérinaire - labo de toxicologie
<b>Address:</b>	BP 2295 Bamako
<b>Country:</b>	Mali
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Traore Halimatu Koné
<b>E-mail:</b>	halimatout@hotmail.com
<b>Tel.:</b>	223-2243344
<b>Fax:</b>	223-2249809
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; Plants ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## ***Mauritius, Republic of***

<b>Name of Laboratory:</b>	National Environmental Laboratory National Laboratories Complex
<b>Address:</b>	Reduit
<b>Country:</b>	Mauritius, Republic of
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. V. Sheik Fareed
<b>E-mail:</b>	maurinel@intnet.mu
<b>Tel.:</b>	230-4661080
<b>Fax:</b>	230-4661282
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Morocco

<b>Name of Laboratory:</b>	Department Toxicology National Institute of Hygien INH
<b>Address:</b>	Av. Ibn Battouta Agdal BP 769 Rabat 11400
<b>Country:</b>	Morocco
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Benbakhta Bouchait
<b>E-mail:</b>	benbakhta@yahoo.fr
<b>Tel.:</b>	37-771902
<b>Fax:</b>	37-772067
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## **Namibia**

<b>Name of Laboratory:</b>	Department of Chemistry University of Namibia
<b>Address:</b>	P/Bag 13 301 Windhoek
<b>Country:</b>	Namibia
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Eino Mvula
<b>E-mail:</b>	emvula@unam.na
<b>Tel.:</b>	264-61-2063635
<b>Fax:</b>	264-61-2063791
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## ***Niger***

<b>Name of Laboratory:</b>	Analytical Services Laboratory/ Soil Chemistry Laboratory
<b>Address:</b>	ICRISAT-Niger 12404 Niamey
<b>Country:</b>	Niger
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Ilyassou Oumarou
<b>E-mail:</b>	I.oumarou@cgiar.org
<b>Tel.:</b>	227722626
<b>Fax:</b>	227734329
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Senegal

<b>Name of Laboratory:</b>	Environmental Chemistry Laboratory of CERES-LOCUSTOX
<b>Address:</b>	Km 15, Route de Rufisque 3300 Dakar
<b>Country:</b>	Senegal
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. Djibril Mbaye
<b>E-mail:</b>	cereslocustox@sento.sn
<b>Tel.:</b>	221-8344294
<b>Fax:</b>	221-8344290
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
Chlordane ; Heptachlor ; DDT ; Dieldrin ; Aldrin ; PCBs	
<b>PCB analysis</b>	
sum PCB 7	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

## South Africa

<b>Name of Laboratory:</b>	Chromatography and Mass Spectrometry Department of Chemistry University of Pretoria
<b>Address:</b>	0002 Pretoria Gauteng
<b>Country:</b>	South Africa
<b>Region:</b>	Africa
<b>Contact Person:</b>	Prof. E. R. Rohwer
<b>E-mail:</b>	erohwer@postino.up.ac.za
<b>Tel.:</b>	27-12-4202518
<b>Fax:</b>	
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Air ; Water ; Soil/sediment	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Chromatographic Services Testing and Conformity Services (Pty) Ltd
<b>Address:</b>	Private Bag X191 Pretoria 0001
<b>Country:</b>	South Africa
<b>Region:</b>	Africa
<b>Contact Person:</b>	Mr. HV Garber
<b>E-mail:</b>	garberhv@sabs.co.za
<b>Tel.:</b>	27-12-4286648
<b>Fax:</b>	27-12-4286968
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; DDT ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

## **Sudan**

<b>Name of Laboratory:</b>	Laboratory of Metabolism and Toxicology The Agric. Research Corporation, Entomology Section
<b>Address:</b>	Wad Medani Gezira
<b>Country:</b>	Sudan
<b>Region:</b>	Africa
<b>Contact Person:</b>	G.A. El Zorgani
<b>E-mail:</b>	alzorgani2000@yahoo.com
<b>Tel.:</b>	249-511-40060
<b>Fax:</b>	249-511-43213
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; DDT ; Dieldrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> Human milk ; Human blood ; Water ; Soil/sediment	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## Tanzania

<b>Name of Laboratory:</b>	Chemical and Process Engineering Department University of Dar es Salaam
<b>Address:</b>	PO Box 35131 Dar es Salaam
<b>Country:</b>	Tanzania
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Enock Masanja
<b>E-mail:</b>	emasanja@cpe.udsm.ac.tz
<b>Tel.:</b>	255-2410368
<b>Fax:</b>	255-2410379
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b>	
No POPs analysed	
<b>PCB analysis</b>	
<b>Matrices</b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b>Tier</b>	
Laboratory without POPs analysis	

## Tunisia

<b>Name of Laboratory:</b>	Marine Environment Laboratory/Organic Unit Centre INSTM - Port de Pecche
<b>Address:</b>	2060 La Goulette
<b>Country:</b>	Tunisia
<b>Region:</b>	Africa
<b>Contact Person:</b>	Ing. Dridi Khemaies
<b>E-mail:</b>	khemaies.dridi@instm.rnrt.tn
<b>Tel.:</b>	216-71-735848
<b>Fax:</b>	216-71-735848
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Bivalves ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## Uganda

<b>Name of Laboratory:</b>	Pesticide Residue Analytical Laboratory Chemistry Department
<b>Address:</b>	Makerere University PO Box 7062 Kampala
<b>Country:</b>	Uganda
<b>Region:</b>	Africa
<b>Contact Person:</b>	Prof. B. Kiremire
<b>E-mail:</b>	kiremire@chemistry.mak.ac.ug
<b>Tel.:</b>	256-41540985
<b>Fax:</b>	
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Chlordane ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Zambia**

<b>Name of Laboratory:</b>	University of Zambia, Department of Chemistry
<b>Address:</b>	P.O. Box 32379 Lusaka 10101
<b>Country:</b>	Zambia
<b>Region:</b>	Africa
<b>Contact Person:</b>	Dr. Kwenga Sichilongo
<b>E-mail:</b>	ksichilo@natsci.unza.zm
<b>Tel.:</b>	2601295436
<b>Fax:</b>	2601295436
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b> Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> Human milk	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## Asia & Pacific

### **Bahrain**

<b>Name of Laboratory:</b>	Department of Chemistry College of Science, University of Bahrain
<b>Address:</b>	PO Box 32038 Isa Town
<b>Country:</b>	Bahrain
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Ahmed Taha
<b>E-mail:</b>	ahmedabd@sci.uob.bh
<b>Tel.:</b>	973-17-876470
<b>Fax:</b>	973-17-876510
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; Plants ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Cambodia**

<b>Name of Laboratory:</b>	National Focal Point for the Stockholm Convention Department of Pollution Control Ministry of Environment
<b>Address:</b>	#48 Samdech Preah Sihanouk Tonle Bassac, Charmkarmon Phnom Penh
<b>Country:</b>	Cambodia
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Chea Sina
<b>E-mail:</b>	moepcd@online.com.kh
<b>Tel.:</b>	855-1291-5782
<b>Fax:</b>	855-2321-2540
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## China

<b>Name of Laboratory:</b>	Croucher Institute for Environmental Sciences (CIES)
<b>Address:</b>	G/F., RL5, Low Rise Buildings Bapist University Road Campus Hong Kong Baptist University Kowloon Tong, Kowloon, Hong Kong
<b>Country:</b>	China
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. M.H. Wong
<b>E-mail:</b>	cies@hkbu.edu.hk
<b>Tel.:</b>	852-34117746
<b>Fax:</b>	852-34117743
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific ; sum PCB 7	
<b><u>Matrices</u></b>	
Bivalves ; Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Dioxin Analysis Laboratory College of Mechanical and Energy Engineering Zhejiang University
<b>Address:</b>	310027 Hangzhou
<b>Country:</b>	China
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Yan Jianhua
<b>E-mail:</b>	yanjh@cmee.zju.edu.cn
<b>Tel.:</b>	86-571-87952629
<b>Fax:</b>	86-571-87952438
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
PCDD/PCDFs	
<b>PCB analysis</b>	
<b>Matrices</b>	
No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

<b>Name of Laboratory:</b>	Government Laboratory Hong Kong SAR
<b>Address:</b>	7/F Homatin Government Offices 88 Chung Hau Street Homatin
<b>Country:</b>	China
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Stephen W.C. Chung
<b>E-mail:</b>	swcchung@govtlab.gov.hk
<b>Tel.:</b>	852-27623728
<b>Fax:</b>	852-27144083
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b> sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b> Air ; Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 1	

## ***Fiji***

<b>Name of Laboratory:</b>	Institute of Applied Science
<b>Address:</b>	University of the South Pacific Suva
<b>Country:</b>	Fiji
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Bill Aalbersberg
<b>E-mail:</b>	Aalbersberg@usp.ac.fj
<b>Tel.:</b>	679-3312952
<b>Fax:</b>	679-3300373
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 3	

## **India**

<b>Name of Laboratory:</b>	Regional Research Laboratory
<b>Address:</b>	Pappanamcode Trivandrum 695 019 Kerala
<b>Country:</b>	India
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. C.S.P. Iyer
<b>E-mail:</b>	iyer_csp@yahoo.com
<b>Tel.:</b>	2490674
<b>Fax:</b>	2491712
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; DDT ; Dieldrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> Water ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## Jordan

<b>Name of Laboratory:</b>	Chromatographic Lab Environmental Organics Analysis Lab Royal Scientific Society/Environmental Research Centre
<b>Address:</b>	PO Box 1438 Jubaiha 11941
<b>Country:</b>	Jordan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Ahmad Daradekah
<b>E-mail:</b>	wael@rss.gov.jo
<b>Tel.:</b>	962-65344701
<b>Fax:</b>	962-65344806
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Kazakhstan**

<b>Name of Laboratory:</b>	Lab for Physical and Chemical Methods ANalyses
<b>Address:</b>	106 Sh. Ualikhanov Str. 480100 Almaty
<b>Country:</b>	Kazakhstan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Dr. Victor A. Solomin
<b>E-mail:</b>	solomin_victor@mail.ru
<b>Tel.:</b>	7-3272-915770
<b>Fax:</b>	7-3272-651312
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## ***Korea, Republic of***

<b>Name of Laboratory:</b>	Chonbuk National University Environmental Management Lab.
<b>Address:</b>	664-14 1ga Duckjin-Ding Duckjin-Gu Jeonju Jeonbuk
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Jong-Guk Kim
<b>E-mail:</b>	kjongguk@moak.chonbuk.ac.kr
<b>Tel.:</b>	82-63-2702448
<b>Fax:</b>	82-63-2702449
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Bivalves ; Human milk ; Human blood ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Marin Environmental Research Laboratory
<b>Address:</b>	391 Jangmok-ri, Jangmok-myon 635 834 Geoje
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Jae Ryoung OH
<b>E-mail:</b>	jroh@kordi.re.kr
<b>Tel.:</b>	82-55-6398670
<b>Fax:</b>	82-55-6398689
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Analytical Research Centre of the Environmental Management Corporation
<b>Address:</b>	Environmental Research Complex Kyungseo-Dong, Seo-gu 404 170 Incheon
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Chang-Han Joo
<b>E-mail:</b>	arc@emc.or.kr
<b>Tel.:</b>	82-32-5602200
<b>Fax:</b>	82-32-5602209
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Human blood ; Fish ; Water	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

<b>Name of Laboratory:</b>	Environmental Analysis Team Korea Testing Laboratory
<b>Address:</b>	222-13 Kuro-dong, Kuro-gu 152-848 Seoul
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Kyung-Seop Kim
<b>E-mail:</b>	kskim@ktl.re.kr
<b>Tel.:</b>	82-2-8601392
<b>Fax:</b>	82-2-8601534
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
PCBs with TEFs	
<b>Matrices</b>	
Air ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	Hazardous Substance Research Team Korea Basic Science Institute
<b>Address:</b>	126-16 Anam 5-Ga, Sungbuk-Ku Seoul 136-701
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Jongki Hong
<b>E-mail:</b>	jongki@kbsi.re.kr
<b>Tel.:</b>	82-2-9200790
<b>Fax:</b>	82-2-9200789
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b> PCBs, non congener specific ; PCBs with TEFs	
<b>Matrices</b> Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 1	

<b>Name of Laboratory:</b>	National Fisheries Research & Development Institute (NRFDI)
<b>Address:</b>	Sirang-ri, Gijang-gun, Gijang-up Busan 619-902
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Choi Hee-Gu
<b>E-mail:</b>	hgchoi@nfrdi.re.kr
<b>Tel.:</b>	82-51-7202530
<b>Fax:</b>	82-51-7202515
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7	
<b>Matrices</b>	
Bivalves ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 2	

<b>Name of Laboratory:</b>	The centre for instrumental analysis in Kyungnam University (CIAK)
<b>Address:</b>	449 Wolyong-dong 631-701 Masan
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Sangchun Lee
<b>E-mail:</b>	kqa0@kyungnam.ac.kr
<b>Tel.:</b>	82-55-2492971
<b>Fax:</b>	82-55-2492563
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Human blood ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Labfrontier
<b>Address:</b>	KSBC Bldg, #Mt, 111-8 Lui-dong, Palda-ku 442-270 Suwon
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Youn Seok Kang
<b>E-mail:</b>	labfrontier@labfrontier.com
<b>Tel.:</b>	82-31-2596800
<b>Fax:</b>	82-31-2596880
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 2	

<b>Name of Laboratory:</b>	Scientific Environmental Analytical Laboratory (SEAL) School of Environ. Sci. & Eng. POSTECH
<b>Address:</b>	San 31, Hyojadong 790-784 Pohang
<b>Country:</b>	Korea, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Yoon-Seok Chang
<b>E-mail:</b>	yschang@postech.ac.kr
<b>Tel.:</b>	82-54-2792281
<b>Fax:</b>	82-54-2798299
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Human blood ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## **Kuwait**

<b>Name of Laboratory:</b>	Industrial Environment Lab.
<b>Address:</b>	Environemnt Public Authority PO Box 24394 Safat 13104
<b>Country:</b>	Kuwait
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr Yousif Al-Zayed
<b>E-mail:</b>	
<b>Tel.:</b>	965-4845899
<b>Fax:</b>	965-4835483
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Lebanon

<b>Name of Laboratory:</b>	Environment Core Laboratory (ECL)
<b>Address:</b>	Diana Tamari Sabbagh Bldg., 3rd floor American University of Beirut Beirut
<b>Country:</b>	Lebanon
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Ms. Carol Sukhn
<b>E-mail:</b>	corelabs@aub.edu.lb
<b>Tel.:</b>	961-1-350000, ext. 4850 and 4860
<b>Fax:</b>	961-1-370845
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## Malaysia

<b>Name of Laboratory:</b>	Department of Chemistry
<b>Address:</b>	Jalan Sultan 46661 Petaling Jaya Sengalor
<b>Country:</b>	Malaysia
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Kee Sue Sing
<b>E-mail:</b>	sskee@kimia.gov.my
<b>Tel.:</b>	603-79853040
<b>Fax:</b>	603-79556764
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCDD/PCDFs	
<b>PCB analysis</b>	
<b>Matrices</b>	
Air ; Water ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 2	

<b>Name of Laboratory:</b>	Doping Control Centre
<b>Address:</b>	University Sains Malaysia Minden 1800 Penang
<b>Country:</b>	Malaysia
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Aishah A Latiff
<b>E-mail:</b>	aishah@dcc.usm.my
<b>Tel.:</b>	60-4-6595605
<b>Fax:</b>	60-4-6569869
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	Environment & Bioprocess Technology Centre (Build. 15) SIRIM Berhad
<b>Address:</b>	Block 15, No 1 Persiaran Dato' Menteri, Seksyen 2 40911 Shah Alam
<b>Country:</b>	Malaysia
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Chen Sau Soon
<b>E-mail:</b>	sau.soon_chen@sirim.my
<b>Tel.:</b>	3-55446550
<b>Fax:</b>	3-55446590
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## **Micronesia**

<b>Name of Laboratory:</b>	National Technical Focal Point for the Stockholm Convention Dept. of Health, Eduaction and Social Affairs
<b>Address:</b>	FSM National Government PO Box PS-70 Palikir, Pohnpei FM 96941
<b>Country:</b>	Micronesia
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Moses E. Pretrick
<b>E-mail:</b>	FSMEnvironment@mail.fm
<b>Tel.:</b>	691-320-8300
<b>Fax:</b>	691-320-8460
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## Myanmar

<b>Name of Laboratory:</b>	National Health Laboratory
<b>Address:</b>	35, Hmaw Kun Daik Street Dagon P.O. Yangon
<b>Country:</b>	Myanmar
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Tin Nyunt
<b>E-mail:</b>	mohnhl@mptmail.net.mm
<b>Tel.:</b>	95-1-371957
<b>Fax:</b>	95-1-371925
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
No POPs analysed	
<b>PCB analysis</b>	
<b>Matrices</b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b>Tier</b>	
Laboratory without POPs analysis	

## **Pakistan**

<b>Name of Laboratory:</b>	Chromatography Lab. NCD, PINSTECH
<b>Address:</b>	P.O. Nilore Islamabad
<b>Country:</b>	Pakistan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Muhammad Riaz
<b>E-mail:</b>	pinstech@paknet2.ptc.pk
<b>Tel.:</b>	092-9290231
<b>Fax:</b>	092-51-9290275
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
No POPs analysed	
<b>PCB analysis</b>	
<b>Matrices</b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b>Tier</b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	Chromatorgraphy Central Analytical Facility Division Pakistan Institute of Nuclear Science & Technology
<b>Address:</b>	P.O. Nilore Islambad
<b>Country:</b>	Pakistan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Shahid Bilal Butt
<b>E-mail:</b>	icp@pinstech.org.pk
<b>Tel.:</b>	092-051-9290231
<b>Fax:</b>	092-051-9290275
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	PCSIR Laboratories Complex
<b>Address:</b>	off University Road Karachi 75280 Karachi
<b>Country:</b>	Pakistan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Tanzil Haider Usmani
<b>E-mail:</b>	Klcpcsir@khi.paknet.com.pk
<b>Tel.:</b>	8142894
<b>Fax:</b>	8141847
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Dieldrin ; Endrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Fish ; Soil/sediment	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	PCRWR Water Quality Laboratory
<b>Address:</b>	House 3&5 Street 17 F-6/2 Islamabad
<b>Country:</b>	Pakistan
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Mohammad Aslam Tahir
<b>E-mail:</b>	pcrwr@isb.comsats.net.pk
<b>Tel.:</b>	051-9218992
<b>Fax:</b>	051-9218939
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## ***Palau, Republic of***

<b>Name of Laboratory:</b>	Palau Environmental Quality Protection Borad Laboratory
<b>Address:</b>	P.O. Box 8086 96940 Koror
<b>Country:</b>	Palau, Republic of
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mrs. Jennifer Boeder
<b>E-mail:</b>	eqpb@palaunet.com
<b>Tel.:</b>	680-488-1639
<b>Fax:</b>	680-488-2963
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## ***Philippines***

<b>Name of Laboratory:</b>	Research and Analytical Services Laboratory Natural Sciences Research Institute
<b>Address:</b>	University of the Philippines, Diliman Campus 1101 Quezon City
<b>Country:</b>	Philippines
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dr. Evangeline C. Santiago
<b>E-mail:</b>	ecs@nsri.upd.edu.ph
<b>Tel.:</b>	632-9207731
<b>Fax:</b>	632-9252963
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Water ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

## Singapore

<b>Name of Laboratory:</b>	Environmental Monitoring and Assessment Unit Pollution Control Department
<b>Address:</b>	40 Scotts Road Environment Building, Annex Block, 3rd Storey Singapore 228231
<b>Country:</b>	Singapore
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mrs Indrani Rajaram
<b>E-mail:</b>	Indrani_Rajaram@nea.gov.sg
<b>Tel.:</b>	65-67319703
<b>Fax:</b>	65-62353379
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Sri Lanka

<b>Name of Laboratory:</b>	Laboratory Services Group, CETD Industrial Technology Institute
<b>Address:</b>	363, Bauddhaloka Mawatha, Colombo 07 00700 Colombo
<b>Country:</b>	Sri Lanka
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Ms. S. Wickremaratne
<b>E-mail:</b>	sharmini@iti.lk
<b>Tel.:</b>	94-11-2674461
<b>Fax:</b>	94-11-2698622
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Central Environmental Authority
<b>Address:</b>	No 10A Robert Gusawadena Mawatha Battaramulla Colombo
<b>Country:</b>	Sri Lanka
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Dir. H.L. Susiripala
<b>E-mail:</b>	susiri@cea.lk
<b>Tel.:</b>	94-11-2872278
<b>Fax:</b>	94-11-2872605
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Tajikistan

<b>Name of Laboratory:</b>	Service on Analytical Control of the State Committee on Nature Protection and Forestry of the Republic of Tajikistan
<b>Address:</b>	16, Giprozemgorodok Street 996312 Dushanbe city
<b>Country:</b>	Tajikistan
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Abdisalim Juraev
<b>E-mail:</b>	pops_taj@tjinter.com
<b>Tel.:</b>	992-372-311203
<b>Fax:</b>	992-372-274697
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Thailand

<b>Name of Laboratory:</b>	Environmental Quality and Laboratory
<b>Address:</b>	92 Soi Phaolyothin 7, Phaholyothin Rd., Phayathai Bangkok 10400
<b>Country:</b>	Thailand
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Ms. Pannipa Teerajindachol
<b>E-mail:</b>	ptech@pcd.go.th
<b>Tel.:</b>	66-2-2982564
<b>Fax:</b>	66-2-2982552
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Tonga

<b>Name of Laboratory:</b>	Department of Environment
<b>Address:</b>	P.O. Box 5 Nuku'alofa
<b>Country:</b>	Tonga
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Mr. Pita Taufatofua
<b>E-mail:</b>	pttofua@yahoo.com.au
<b>Tel.:</b>	676-25020
<b>Fax:</b>	676-25051
<b>Laboratory available:</b>	No
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
<b>Contact Person (no laboratories available)</b>	

## Vietnam

<b>Name of Laboratory:</b>	Research Centre for Environmental Technology and Sustainable Development (CETASD)
<b>Address:</b>	334 Nguyen Trai, Thanh Xuan Hanoi
<b>Country:</b>	Vietnam
<b>Region:</b>	Asia & Pacific
<b>Contact Person:</b>	Prof. Pham Hung Viet
<b>E-mail:</b>	cec@fpt.vn
<b>Tel.:</b>	84-4-8587964
<b>Fax:</b>	84-4-8588152
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

## Central and Eastern Europe

### Azerbaijan

<b>Name of Laboratory:</b>	Azocolab
<b>Address:</b>	Av. H. Javid 31 a AZ 1143 Baku
<b>Country:</b>	Azerbaijan
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Bahruz Suleymanov
<b>E-mail:</b>	suleymanov@azocolab.com
<b>Tel.:</b>	99412 383592
<b>Fax:</b>	99412 479616
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Belarus**

<b>Name of Laboratory:</b>	Central Laboratory of the Ministry of Natural Resources and Environmental Protection
<b>Address:</b>	10, Kollektornaya str. 220 048 Minsk
<b>Country:</b>	Belarus
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Utochkina Svetlana
<b>E-mail:</b>	minproos@mail.belpak.by
<b>Tel.:</b>	375-17-2204776
<b>Fax:</b>	375-17-2204776
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; Dieldrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

<b>Name of Laboratory:</b>	The department of organization of analytical control of the Ministry of natural resources and environmental protection
<b>Address:</b>	10 Collectornaya St. 220 048 Minsk
<b>Country:</b>	Belarus
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Ludmila Skripnichenko
<b>E-mail:</b>	mpr-lab@yandex.ru
<b>Tel.:</b>	375-17-2898762
<b>Fax:</b>	375-17-2890105
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

## **Bulgaria**

<b>Name of Laboratory:</b>	Instrumental Method of Analysis, Analytical Directorate Executive Environment Agency
<b>Address:</b>	136, Tsar Boris III, POB 251 1618 Sofia
<b>Country:</b>	Bulgaria
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Stefanka Bratinova
<b>E-mail:</b>	bratinova@nfp-bg.eionet.eu.int
<b>Tel.:</b>	3592 8550137
<b>Fax:</b>	3592 9559015
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

<b>Name of Laboratory:</b>	Central lab for control of pesticides
<b>Address:</b>	120, Nikola Mushanov blv. 1330 Sofia
<b>Country:</b>	Bulgaria
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Vasil Ganev
<b>E-mail:</b>	vganev@pc-link.net
<b>Tel.:</b>	359 2 8229159
<b>Fax:</b>	359 2 8223376
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Soil/sediment ; Plants ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Executive Environment Agency Regional laboratory - Plovdiv Ministry of Environment
<b>Address:</b>	1, Perushtitza str. 4002 Plovdiv
<b>Country:</b>	Bulgaria
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Tanya Mladenova
<b>E-mail:</b>	t_mladenova@abv.bg
<b>Tel.:</b>	359 32 643243
<b>Fax:</b>	359 32 642723
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Air ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

<b>Name of Laboratory:</b>	Food Chemistry
<b>Address:</b>	15, D. Nestorov Str. 1431 Sofia
<b>Country:</b>	Bulgaria
<b>Region:</b>	CEE
<b>Contact Person:</b>	Prof. Fany Ribarova
<b>E-mail:</b>	f.ribarova@nchmen.government.bg
<b>Tel.:</b>	359-2-5812238
<b>Fax:</b>	359-2-9541277
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Croatia

<b>Name of Laboratory:</b>	Institute of Public Health Department for protection and improvement of the environment
<b>Address:</b>	Nazarova 23 52 100 Pula
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dipl. Ing. Sonja Dikovic
<b>E-mail:</b>	Ekologija@zzjiz.hr
<b>Tel.:</b>	385 52 529000
<b>Fax:</b>	385 52 222151
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b>PCB analysis</b>	
PCBs, non congener specific	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

<b>Name of Laboratory:</b>	Department for Food Examination; Laboratory for GC analyses
<b>Address:</b>	Vukovarska 46 21 000 Split
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Culin Sanja
<b>E-mail:</b>	sanya55@yahoo.com
<b>Tel.:</b>	385 21 539 825
<b>Fax:</b>	385 21 539 825
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Health Ecology Department
<b>Address:</b>	Kresimirova 52 a 51 000 Rijeka
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Alenka Zivkovic
<b>E-mail:</b>	alenka.zivkovic@ri.htnet.hr
<b>Tel.:</b>	385 51 358747
<b>Fax:</b>	385 51 213948
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Institute for Medical Research and Occupational Health
<b>Address:</b>	Ksaverska c. 2 10000 Zagreb
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Blanka Krauthacker
<b>E-mail:</b>	bkrautha@imi.hr
<b>Tel.:</b>	385-1-4673188
<b>Fax:</b>	385-1-4673303
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Air ; Human milk ; Human blood ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Health Ecology Department - Public Health Institution of Osijek - Baranja County
<b>Address:</b>	Franje Krezme 1 31000 Osijek
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Marina Valek
<b>E-mail:</b>	marina.valek@zzzjosijek.hr
<b>Tel.:</b>	385-31225700
<b>Fax:</b>	385-31206870
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Air ; Fish ; Water ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Zagreb Public Health Institute Analytical Chemistry Department
<b>Address:</b>	Mirogojska 16 10000 Zagreb
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Prof. Zdenko Smit
<b>E-mail:</b>	zdenko.smit@publichealth-zagreb.hr
<b>Tel.:</b>	385-1-4696242
<b>Fax:</b>	385-1-4678015
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Sisak Institute of Public Health, Dept. of Ecology and Sanitary Chemistry
<b>Address:</b>	Kralja Tomislava 1 44 000 Sisak
<b>Country:</b>	Croatia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Marica Kodric-Smit
<b>E-mail:</b>	zavod-za-javno-zdr-sm-zup@sk.htnet.hr
<b>Tel.:</b>	385-44-567144
<b>Fax:</b>	385-44-548554
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## ***Czech Republic***

<b>Name of Laboratory:</b>	RECETOX
<b>Address:</b>	Kamenice 126/3 325 00 Brno
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Jana Klanova
<b>E-mail:</b>	klanova@recetox.muni.cz
<b>Tel.:</b>	420 547 121401
<b>Fax:</b>	420 547 121431
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Air ; Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Povdi Moravy Water Laboratories Department and Water Inst.
<b>Address:</b>	Drevska 11 601 75 Brno
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	RNDr. Karel Jahn
<b>E-mail:</b>	jahn@povodi.cz
<b>Tel.:</b>	420 541 637111
<b>Fax:</b>	420 541 211403
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Zdravnotní ústav se sídlem v Ostrave Odbor hygienických laboratorí Karviná
<b>Address:</b>	Tereskovové 2206 Karviná-Mizerov 734 01 Karviná
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	RNDr. Doskarova Sarka
<b>E-mail:</b>	sarka.doskarova@zuova.cz
<b>Tel.:</b>	+420-596-397213
<b>Fax:</b>	420-596-397777
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Heptachlor ; DDT ; Dieldrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Human milk ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Toxicants and Contaminants - Calibration laboratory Department of Food Chemistry and Analysis Institute of Chemical Technology
<b>Address:</b>	Technická 3, 166 28 Prag
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Prof. Jana Hajslova
<b>E-mail:</b>	jana.hajslova@vscht.cz
<b>Tel.:</b>	420 602833424
<b>Fax:</b>	420 2 24353185
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; DDT ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7 ; sum PCB 30	
<b><u>Matrices</u></b> Fish ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Zdravotní ústav se sídlem v Hradci Králové
<b>Address:</b>	J. Cerného 361 50341 Hradec Králové
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Dana Marková
<b>E-mail:</b>	info@zulahk.cz
<b>Tel.:</b>	420 495 211 121
<b>Fax:</b>	420 495 211 122
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Výzkumný ústav organických syntéz CETA
<b>Address:</b>	Rybitví 296 532 18 Pardubice 20
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Jirí Cermák
<b>E-mail:</b>	jiri.cermak@vuos.cz
<b>Tel.:</b>	420 466 822 351
<b>Fax:</b>	420 466 822 978
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

<b>Name of Laboratory:</b>	Bioanalytika CZ, s.r.o.
<b>Address:</b>	Pistovy 820 537 01 Chrudim
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Eva Novotna
<b>E-mail:</b>	bioanalytika@bioanalytika.cz
<b>Tel.:</b>	42 469 681 495
<b>Fax:</b>	42 469 682 310
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Analytical laboratories of Division EKOTECHNIKA
<b>Address:</b>	OKD, DPB, a.s., division Ekotechnika ul. Rude armady 637 739 21 Paskov
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Karel Lach
<b>E-mail:</b>	Ekotechnika@dpb.cz
<b>Tel.:</b>	420 558 612 377
<b>Fax:</b>	420 558 671 588
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	State Veterinary Institute Olomouc Department of Chemistry, Biochemistry and Radiology
<b>Address:</b>	Jakoubka ze Stríba 1 77900 Olomouc
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Dana Citová
<b>E-mail:</b>	dcitova@svuol.cz
<b>Tel.:</b>	420 585 225 641
<b>Fax:</b>	420 585 222 394
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	State Veterinary Institute Olomouc Detached Laboratory in Kromeriz Department of Extranous Matters
<b>Address:</b>	Hulinska 2286 76760 Kromeriz
<b>Country:</b>	Czech Republic
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dipl Ing. Alena Simakova
<b>E-mail:</b>	svu_km@volny.cz
<b>Tel.:</b>	420-573-343644
<b>Fax:</b>	420-573-343644
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 3	

## **Estonia**

<b>Name of Laboratory:</b>	Estonian Environmental Research Centre
<b>Address:</b>	Marja Str. 4 D 10617 Tallinn
<b>Country:</b>	Estonia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Ott Roots
<b>E-mail:</b>	ott.roots@klab.ee
<b>Tel.:</b>	372 611 2900
<b>Fax:</b>	372 611 2901
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Air ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	Health Protection Inspectorate Central Laboratory of Chemistry
<b>Address:</b>	Kotka 2 113 15 Talinn
<b>Country:</b>	Estonia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Aare Laht
<b>E-mail:</b>	aare.laht@tervisekaitse.ee
<b>Tel.:</b>	372-6943604
<b>Fax:</b>	372-6943601
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

## Georgia

<b>Name of Laboratory:</b>	Laboratory of Neurochemistry
<b>Address:</b>	14, Gotua Str 0160 Tbilisi
<b>Country:</b>	Georgia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. David Mikeladze
<b>E-mail:</b>	d.mikeladze@mymail.ge
<b>Tel.:</b>	99 532 374724
<b>Fax:</b>	99 532 941 045
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Hungary

<b>Name of Laboratory:</b>	National Centre for Public Health National Institute of Food Hygiene and Nutrition Chemical Toxicological Laboratory
<b>Address:</b>	Gyáli út 3/a 1097 Budapest
<b>Country:</b>	Hungary
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Judit Sohár
<b>E-mail:</b>	soharpne@okk.antsz.hu
<b>Tel.:</b>	361-476-1100
<b>Fax:</b>	361-215-1545
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Dieldrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Marine mammals or birds	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

## Latvia

<b>Name of Laboratory:</b>	Latvian Environment Agency Laboratory Department
<b>Address:</b>	Osu street 5 LV 2015 Jurmala
<b>Country:</b>	Latvia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Rita Skolmeistere
<b>E-mail:</b>	rita.skolmeistere@lva.gov.lv
<b>Tel.:</b>	371-775-1409
<b>Fax:</b>	371-64162
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b> DDT ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## Lithuania

<b>Name of Laboratory:</b>	Chemical Analysis Division of Environmental Research Department of the Environmental Protection Agency
<b>Address:</b>	Gostauto 9 2600-LT Vilnius
<b>Country:</b>	Lithuania
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Zigmas Ezerskis
<b>E-mail:</b>	z.ezerskis@gamta.lt
<b>Tel.:</b>	370-5-2107339
<b>Fax:</b>	370-5-2107336
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Moldova, Republic of**

<b>Name of Laboratory:</b>	Soil Monitoring and Gas Chromatography Laboratory
<b>Address:</b>	193, Grenoble St. 2043 Chisinau
<b>Country:</b>	Moldova, Republic of
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Anna Cumanova
<b>E-mail:</b>	Cumanova@yahoo.com
<b>Tel.:</b>	373-2-766877
<b>Fax:</b>	373-2-773636
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Laboratory of Sanitary-Chemical Researches
<b>Address:</b>	61 A, Gh. Asachi St. MD-2028 Chisinau
<b>Country:</b>	Moldova, Republic of
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Tatiana Stratulat
<b>E-mail:</b>	tstratulat@mednet.md
<b>Tel.:</b>	372-2-729652
<b>Fax:</b>	372-2-729725
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Air ; Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## **Poland**

<b>Name of Laboratory:</b>	Laboratory for Trace Organic Analysis Cracow University of Technology
<b>Address:</b>	Warszawska 24 31-155 Cracow
<b>Country:</b>	Poland
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. hab. Ing. Adam Grochowalski
<b>E-mail:</b>	agrochow@chemia.pk.edu.pl
<b>Tel.:</b>	48-12-6282036
<b>Fax:</b>	48-12-6282036
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b> sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b> Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 1	

<b>Name of Laboratory:</b>	Environmental Protection Laboratory Pulp and Paper Research Institute
<b>Address:</b>	ul. M. Skłodowskiej - Curie 19/27 90-570 Lodz
<b>Country:</b>	Poland
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Malgorzata Michniewicz
<b>E-mail:</b>	michniewicz@icp.lodz.pl
<b>Tel.:</b>	48-42-6380351
<b>Fax:</b>	48-42-6380379
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Air ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Military Institute of Chemistry and Radiometry Laboratory for Chemical Weapons Convention Verification
<b>Address:</b>	Al. gen. A. Chrusciela 105 00-910 Mazowieckie
<b>Country:</b>	Poland
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Maciej Sliwakowski
<b>E-mail:</b>	maciej_slimac@poczta.onet.pl
<b>Tel.:</b>	48-22-5169931
<b>Fax:</b>	48-22-6735180
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Air	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	Institute of Meteorology and Water Management Maritime Branch
<b>Address:</b>	Department of Water Pollution Control Jaskowa Dolina 29 80-286 Gdansk
<b>Country:</b>	Poland
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Elzbieta Niemirycz
<b>E-mail:</b>	e.niemirycz@imgw.gdynia.pl
<b>Tel.:</b>	48-58-3412079
<b>Fax:</b>	48-58-3412078
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

## **Russia**

<b>Name of Laboratory:</b>	Centre for Environmental Chemistry of SPA "Typhoon"
<b>Address:</b>	82 Lenin av. 249038 Obninsk
<b>Country:</b>	Russia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Alexey Konoplev
<b>E-mail:</b>	konoplev@typhoon.obninsk.org
<b>Tel.:</b>	7-084-397 1896
<b>Fax:</b>	7-084-394 4204
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Bivalves ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

## ***Serbia and Montenegro***

<b>Name of Laboratory:</b>	P.I. Centre for Ecotoxicological Research of Montenegro, Laboratory for Ecotoxicological Research and Radiation Protection
<b>Address:</b>	Put Radomira Ivanovica No 2 81 000 Podgorica
<b>Country:</b>	Serbia and Montenegro
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Ana Misurovic
<b>E-mail:</b>	anajuceti@cg.yu
<b>Tel.:</b>	381-81-658090, -658091
<b>Fax:</b>	381-81-658092
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific ; sum PCB 7	
<b><u>Matrices</u></b>	
Air ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter- calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

## Slovakia

<b>Name of Laboratory:</b>	Department of Toxic Organic Pollutants Institute of Preventive and Clinical Medicine Slovak Medical University
<b>Address:</b>	Limbova 12 833 03 Bratislava
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Anton Kocan
<b>E-mail:</b>	anton.kocan@szu.sk
<b>Tel.:</b>	421-2-59369216
<b>Fax:</b>	421-2-59369217
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Human blood ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Oddelenie vodohospodárskych laboratórií Piest'any, Slovenský vodohospodársky podnik, s.p. Banská Stiavnica
<b>Address:</b>	Nábr. I. Krasku 3 921 80 Piest'any
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Daniel Matulík
<b>E-mail:</b>	daniel.matulik@svp.sk
<b>Tel.:</b>	421-133-7625127
<b>Fax:</b>	421-133-7625127
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	East Slovakia Water Works, Regional Laboratory
<b>Address:</b>	Komenského 50 042 48 Kosice
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Olga Halgasová
<b>E-mail:</b>	kvhl@cona.sk
<b>Tel.:</b>	421-55-6999931
<b>Fax:</b>	421-55-6337300
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	BEL/NOVAMANN International, Ltd.
<b>Address:</b>	Továrenská 14 81571 Bratislava
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Andrea Gajdosova
<b>E-mail:</b>	gajdosova@bel.sk
<b>Tel.:</b>	421-250-213268
<b>Fax:</b>	421-250-213244
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Regional Office of Public Health
<b>Address:</b>	Sladkovicova 9 965 01 Ziar nad Hronom
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Marian Schwarz
<b>E-mail:</b>	schwarz@ruvzzh.sk
<b>Tel.:</b>	421-45-6723461
<b>Fax:</b>	421-45-6723889
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Air ; Human milk ; Water ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	Regional Office Public Health
<b>Address:</b>	Vojtecha Spanyola 27 011 71 Zilina
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	RNDr. L'udmila Sosková
<b>E-mail:</b>	ola@szuza.sk
<b>Tel.:</b>	421-41-7233843
<b>Fax:</b>	421-41-7235465
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Water	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	EL spol. s r.o.
<b>Address:</b>	Duklianska 46 05201 Spisská Nová Ves
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Ema Blahutová
<b>E-mail:</b>	elsro@elsro.sk
<b>Tel.:</b>	421-4424740
<b>Fax:</b>	421-4427735
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b>GC/ECD</b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b>HCB ; Chlordane ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs</b>	
<b><u>PCB analysis</u></b>	
<b>PCBs, non congener specific</b>	
<b><u>Matrices</u></b>	
<b>Fish ; Water ; Soil/sediment ; Plants</b>	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
<b>Tier 4</b>	

<b>Name of Laboratory:</b>	EKOLAB s.r.o. Kosice
<b>Address:</b>	Werferova 1 04011 Kosice
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Eva Jusková
<b>E-mail:</b>	ekolab@ke.telecom.sk
<b>Tel.:</b>	421-556-441154
<b>Fax:</b>	421-556-445826
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

<b>Name of Laboratory:</b>	State Teaching Health Institute
<b>Address:</b>	Limbova 6 91700 Trnava
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Janousek Jiri
<b>E-mail:</b>	olc@sfzutt.sk
<b>Tel.:</b>	421-33-5511088
<b>Fax:</b>	421-33-5354595
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	INGEO-ENVILAB, s r.o.
<b>Address:</b>	Bytcická 16 010 01 Zilina
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Dusan Visnovsky
<b>E-mail:</b>	visnovsky@ingeo.sk
<b>Tel.:</b>	421-41-7247367
<b>Fax:</b>	421-41-7247367
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Division of the laboratory services The Public Health Institute (PHI)
<b>Address:</b>	Stefanikova 85 949 63 Nitra
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Machata Miroslav
<b>E-mail:</b>	szunr@szunr.sk
<b>Tel.:</b>	421-376524501
<b>Fax:</b>	421376522078
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Water	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	Geological Survey of Slovak Republic Geoanalytical Laboratories
<b>Address:</b>	Markusovska cesta 1 052 40 Spisska Nova Ves
<b>Country:</b>	Slovakia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Ing. Daniela Mackovych
<b>E-mail:</b>	machovych@gsrscnv.sk
<b>Tel.:</b>	421-53-4426096
<b>Fax:</b>	421-53-4426096
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Slovenia

<b>Name of Laboratory:</b>	Group for Environmental Analytical Chemistry Laboratory for Organic Analytical Chemistry
<b>Address:</b>	Jamova 39 1000 Ljubljana
<b>Country:</b>	Slovenia
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Ester Heath
<b>E-mail:</b>	ester.heath@ijs.si
<b>Tel.:</b>	386-1-4773584
<b>Fax:</b>	386-1-2519385
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Heptachlor ; DDT ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Air ; Bivalves ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

## Ukraine

<b>Name of Laboratory:</b>	Research Dep. Metrological Assurance Measurements (NDV-12) Lab. for liquid and solid comp. measuring standards and reference materials (NDL-12-0-03)
<b>Address:</b>	Metrologichna str., 4 03143 Kiev
<b>Country:</b>	Ukraine
<b>Region:</b>	CEE
<b>Contact Person:</b>	Dr. Tatyana Alexandrova
<b>E-mail:</b>	molar@ukrcsm.kiev.ua
<b>Tel.:</b>	044-266-3687
<b>Fax:</b>	044-266-3469
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Air ; Water	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

<b>Name of Laboratory:</b>	Department of Analytical Control (DAC) Ukrainian Scientific Centre Ecology of the Sea (UkrSCES)
<b>Address:</b>	Frantsuzky Blvd 89 65009 Odessa-9
<b>Country:</b>	Ukraine
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mr. Yuri Denga
<b>E-mail:</b>	lawmd@te.net.ua
<b>Tel.:</b>	380-48-7288253
<b>Fax:</b>	380-48-7289556
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific ; sum PCB 7	
<b><u>Matrices</u></b> Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Kharkiv branch of the Department of Deense National Enterprise Voienconvers-43 (Ecocentre-43)
<b>Address:</b>	28 Petrovskogo str. 61028 Kharkiv
<b>Country:</b>	Ukraine
<b>Region:</b>	CEE
<b>Contact Person:</b>	Mrs. Lidiya Mikhal'skaya
<b>E-mail:</b>	krcme@kharkov.ua
<b>Tel.:</b>	572-7-128350
<b>Fax:</b>	572-7-128350
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> PCBs, non congener specific	
<b><u>Matrices</u></b> Air ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## Latin America & Caribbean

### *Antigua and Bermuda*

<b>Name of Laboratory:</b>	Government Chemist Laboratory
<b>Address:</b>	Ministry of Agriculture Dunbars
<b>Country:</b>	Antigua and Bermuda
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Anthony Richards
<b>E-mail:</b>	Antiguachemist@yahoo.com
<b>Tel.:</b>	462 45 02
<b>Fax:</b>	462 62 81
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## Argentina

<b>Name of Laboratory:</b>	INA-CTUA-LETS Laboratorio Experimental de Tecnologías Sustentables
<b>Address:</b>	Autopista Ezeiza - Canuelas Km 1.62 1801 Ezeiza
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Jorge Duran
<b>E-mail:</b>	jduran@ina.gov.ar
<b>Tel.:</b>	5411-44804500
<b>Fax:</b>	5411-4480-4501
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; Have MS (but not used for POPs)	
<b>Stockholm Convention POPs analysed</b>	
PCBs	
<b>PCB analysis</b>	
PCBs, non congener specific	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

<b>Name of Laboratory:</b>	Cátedra de Toxicología y Química Legal, Facultad de Farmacia y Bioquímica - UBA
<b>Address:</b>	Junín 956, piso 7 1113 Buenos Aires
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dra. Edda Villaamil
<b>E-mail:</b>	evillaam@ffyb.uba.ar
<b>Tel.:</b>	541-4964-8283
<b>Fax:</b>	541-4964-8284
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human blood ; Fish	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	INTI - Organics Contaminants
<b>Address:</b>	Colectora Av. Gral. Paz 5445 (e/Albarellos y Constituentes) B1650 KNA, San Martín
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mrs. Silvia Oliviero
<b>E-mail:</b>	oli@inti.gov.ar
<b>Tel.:</b>	54-11-475 440 66
<b>Fax:</b>	54-11-475 440 66
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Laboratorio de Química Ambiental y Biogeoquímica (LAQAB)
<b>Address:</b>	Av. Calchaqui km 23,500 y Av. Del Trabajo Florencio Varela 1888
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Juan C. Colombo
<b>E-mail:</b>	laqab@arnet.com.ar
<b>Tel.:</b>	5411 42758266
<b>Fax:</b>	5411 42758266
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b>PCB analysis</b> sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b> Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 2	

<b>Name of Laboratory:</b>	Centro de Investigaciones Toxicologicas
<b>Address:</b>	Av Juan B. Alberdi 2986 1406 Buenos Aires
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Carlos Gotelli
<b>E-mail:</b>	laboratorio@ciquime.org.ar
<b>Tel.:</b>	54-4613-1100
<b>Fax:</b>	54-11-46133707
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human blood ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	Water Research Transdisciplinary Centre
<b>Address:</b>	Av. Chorroarín 280 C1427CWO Buenos Aires
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Prof. Alicia Fernandez Cirelli
<b>E-mail:</b>	afcirelli@fvet.uba.ar
<b>Tel.:</b>	54-11-45248484
<b>Fax:</b>	54-11-45248499
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
DDT ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human milk ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	INA-CTUA-LECA
<b>Address:</b>	Autopista Ezeiza - Cañuelas, km 1.62 1802 Ezeiza
<b>Country:</b>	Argentina
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Ing. José Lobos
<b>E-mail:</b>	jlobos@ina.gov.ar
<b>Tel.:</b>	054-11-44804500
<b>Fax:</b>	054-11-44804500, extension 2388
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Bahamas**

<b>Name of Laboratory:</b>	Public Analyst Laboratory
<b>Address:</b>	P.O. Box N 7016 Nassau
<b>Country:</b>	Bahamas
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Dwayne Curtis
<b>E-mail:</b>	dwayne_curtis@yahoo.com
<b>Tel.:</b>	242 322 2845
<b>Fax:</b>	242 323 3863
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b> No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> No GMP matrices	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b> Laboratory without POPs analysis	

## **Barbados**

<b>Name of Laboratory:</b>	Government Analytical Services (GAS)
<b>Address:</b>	Culloden Road St. Michael
<b>Country:</b>	Barbados
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Ms. Beverly P. Wood
<b>E-mail:</b>	director@gas.gov.bb
<b>Tel.:</b>	246-427 6874
<b>Fax:</b>	246-436 7682
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

## **Brazil**

<b>Name of Laboratory:</b>	LAQUAM Universidade Federal da Bahia
<b>Address:</b>	R. Barão de Geremoabo N. 147, 4o andar, s/403, Ondina 40.170-290 Salvador Bahia
<b>Country:</b>	Brasil
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Prof. Tania Tavares
<b>E-mail:</b>	ttavares@ufba.br
<b>Tel.:</b>	55-71-2374024
<b>Fax:</b>	55-71-2374024
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Bivalves ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Analytical Solutions
<b>Address:</b>	Rua Prof. Saldanha 115 - Jardim Botânico 22461-220 Rio de Janeiro
<b>Country:</b>	Brazil
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Gabriela Kernick Carvalhaes
<b>E-mail:</b>	gabriela@anasol.com.br
<b>Tel.:</b>	55-21-21411105
<b>Fax:</b>	55-21-25394353
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	Physical Chemistry Division
<b>Address:</b>	Av. Prf. Frederico Hermann Jr., 345 Alto de Pinheiros 05459-900 São Paulo
<b>Country:</b>	Brazil
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Cacilda Jiumko Aiba
<b>E-mail:</b>	cacildaj@cetesb.sp.gov.br
<b>Tel.:</b>	55-11-30306521
<b>Fax:</b>	55-11-30306592
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b>PCB analysis</b> PCBs, non congener specific ; sum PCB 7	
<b>Matrices</b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b> Tier 4	

<b>Name of Laboratory:</b>	Bioagri Ambiental Ltda
<b>Address:</b>	Rua Aujovil Martini, 171-201 113420-750 Piracicaba
<b>Country:</b>	Brazil
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dir. José Carlos Moretti
<b>E-mail:</b>	j.moretti@bioagriambiental.com.br
<b>Tel.:</b>	55-19-34174700
<b>Fax:</b>	55-19-34174700
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific ; sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Laboratório de Microcontaminantes Orgânicos e de Ecotoxicologia Aquática (FURG)
<b>Address:</b>	Av Italia km 8 s/no 96201-900 Rio Grande
<b>Country:</b>	Brazil
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Kleber Campos Miranda Filho
<b>E-mail:</b>	kleber@octopus.furg.br
<b>Tel.:</b>	55-53-2336738
<b>Fax:</b>	55-53-2336601
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

## Chile

<b>Name of Laboratory:</b>	Laboratorio de Química del Centro EULA - Chile
<b>Address:</b>	Barrio Universitario S/N Concepción 160-C Octava Región
<b>Country:</b>	Chile
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Hernán Cid
<b>E-mail:</b>	hcid@udec.cl
<b>Tel.:</b>	56-41 203338
<b>Fax:</b>	56-41 207076
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
Heptachlor ; DDT ; Dieldrin ; Aldrin ; PCBs	
<b>PCB analysis</b>	
sum PCB 7	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

## Colombia

<b>Name of Laboratory:</b>	Laboratorio de Calidad Ambiental del IDEAM
<b>Address:</b>	Carrera 129 No. 29-57 Interior 17-18 11001 Bogotá, D.C.
<b>Country:</b>	Colombia
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Gustavo Alfonso Coy
<b>E-mail:</b>	fisicoqui@ideam.gov.co
<b>Tel.:</b>	571-4181137
<b>Fax:</b>	571-4181159
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b>PCB analysis</b> sum PCB 7	
<b>Matrices</b> Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b> Tier 4	

## Costa Rica

<b>Name of Laboratory:</b>	Laboratory for Pesticide Residue Analysis (LAREP)
<b>Address:</b>	Apdo 86 Campus Omar Dengo 3000 Heredia
<b>Country:</b>	Costa Rica
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Clemens Ruepert
<b>E-mail:</b>	cruepert@una.ac.cr
<b>Tel.:</b>	506-2773501
<b>Fax:</b>	5062773501
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Human blood ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## **Cuba**

<b>Name of Laboratory:</b>	Residue and Pesticide Environmental Contamination Lab.
<b>Address:</b>	150 # 2126 e/21 A y 25. Playa Havanna City
<b>Country:</b>	Cuba
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Gonzalo Dierksmeier Corcuera
<b>E-mail:</b>	gdierksmeier@inisav.cu
<b>Tel.:</b>	537-208 4416
<b>Fax:</b>	537-2029366
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Bivalves ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## ***Ecuador***

<b>Name of Laboratory:</b>	Pesticides Laboratories of the Ecuadorian Service for Agriculture and Cattle Protection (SESA)
<b>Address:</b>	Av. Eloy Alfaro y Amazonas Edf. MAG. 9 piso Quito
<b>Country:</b>	Ecuador
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dra. Olga Pazmiño Morales
<b>E-mail:</b>	olgapaz3@yahoo.com
<b>Tel.:</b>	593-2-2372845
<b>Fax:</b>	593-2-2228448
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Ecotoxicology Laboratory
<b>Address:</b>	Juan Larrea N15-36 y Riofrío PO Box 17012517 Quito
<b>Country:</b>	Ecuador
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Ramiro Castro
<b>E-mail:</b>	ceea.uqa@andinanet.net
<b>Tel.:</b>	593-2-2238438
<b>Fax:</b>	593-2-2563336
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Laboratoria de Chromatografía Instituto de Ciencias (ICQ) Escuela Superior Politécnica del Litoral (ESPOL)
<b>Address:</b>	Km 30,5 vía perimetral Campus Prosperina ESPOL Guayaquil
<b>Country:</b>	Ecuador
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Eng. Mariano Montaña
<b>E-mail:</b>	mmontano@espol.edu.ec
<b>Tel.:</b>	593-4-2269566
<b>Fax:</b>	593-4-2269566
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Guatemala

<b>Name of Laboratory:</b>	Programa de Química Analítica Ambiental (PQAA) Instituto de Investigaciones Universidad del Valle de Guatemala
<b>Address:</b>	18 Avenida 11-95, zona 15, Vista Hermosa III 01015 Guatemala
<b>Country:</b>	Guatemala
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Ricardo Montoya
<b>E-mail:</b>	pqaa@uvg.edu.gt
<b>Tel.:</b>	502-3640492, ext 431
<b>Fax:</b>	502-3698336
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Water ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Honduras

<b>Name of Laboratory:</b>	Centro de Estudios y Control de Contaminantes CESCO
<b>Address:</b>	Barrio Morazan, frente Central de Bomberos Tegucigalpa
<b>Country:</b>	Honduras
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Daniela Sabillon
<b>E-mail:</b>	cescco@cablecolor.hn
<b>Tel.:</b>	504-2-311006
<b>Fax:</b>	504-2-390954
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
Heptachlor ; DDT ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Human milk ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 4	

## Mexico

<b>Name of Laboratory:</b>	Mexicans Customs Laboratory
<b>Address:</b>	Calzada Legaria 608, Colonia Irrigacion 11500 Mexico D.F.
<b>Country:</b>	Mexico
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. J. Fernando Jauregui Q.I.
<b>E-mail:</b>	jose.jauregui@sat.gob.mx
<b>Tel.:</b>	5255-9157 4128 or 4182
<b>Fax:</b>	5255-91574105
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	International Centre for Environmental Reserach and Training
<b>Address:</b>	Av. SN Rafael Atlixco No 186 Edif W 20. Piso UAM-IZT 09340 Mexico D.F.
<b>Country:</b>	Mexico
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mrs. Teresa Ortuño Arzate
<b>E-mail:</b>	tortuno@ine.gob.mx
<b>Tel.:</b>	56133662
<b>Fax:</b>	56133821
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Centro Nacional de Metrologia
<b>Address:</b>	Km 4.5 Carretera Alos Cues Mpio del Marques Santiago de Queretaro
<b>Country:</b>	Mexico
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Yoshito Mitani
<b>E-mail:</b>	ymitani@cenam.mx
<b>Tel.:</b>	2110562
<b>Fax:</b>	2110569
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## **Panamá**

<b>Name of Laboratory:</b>	Instituto de Investigación Agropecuaria de Panamá Laboratorio de Análisis de Residuos de Plaguicidas
<b>Address:</b>	Ciudad del Saber Edificio # 154 Apartado 4319 el Dorado Panamá
<b>Country:</b>	Panamá
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Dr. Jaime Espinosa González
<b>E-mail:</b>	idiap@idiap.gob.pa
<b>Tel.:</b>	507-3170520
<b>Fax:</b>	
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
PCBs, non congener specific	
<b><u>Matrices</u></b>	
Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## St Lucia

<b>Name of Laboratory:</b>	Caribbean Environmental Health Institute (CEHI)
<b>Address:</b>	P.O. Box 1111 The Morne Castries
<b>Country:</b>	St Lucia
<b>Region:</b>	Latin America & Caribbean
<b>Contact Person:</b>	Mr. Vincent Sweeney
<b>E-mail:</b>	cehi@candw.lc
<b>Tel.:</b>	1-758-4525201
<b>Fax:</b>	1-758-4532721
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD	
<b>Stockholm Convention POPs analysed</b>	
Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b>PCB analysis</b>	
PCBs, non congener specific	
<b>Matrices</b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b>Tier</b>	
Tier 4	

## Western Europe and Other States Group

### *Australia*

<b>Name of Laboratory:</b>	Australian Government Analytical Laboratories
<b>Address:</b>	PO Box 385 2073 Pymble
<b>Country:</b>	Australia
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Robert K. Symmons
<b>E-mail:</b>	robert.symmons@agal.gov.au
<b>Tel.:</b>	61-2-94490150
<b>Fax:</b>	61-2-94491653
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## **Austria**

<b>Name of Laboratory:</b>	Umweltbundesamt Ltd. Dept. Environmental Analysis/Persistent Organic Pollutants	
<b>Address:</b>	Spittelauer Lände 5 A-1090 Vienna	
<b>Country:</b>	Austria	
<b>Region:</b>	WEOG	
<b>Contact Person:</b>	Mr. DI Wolfgang Moche	
<b>E-mail:</b>	wolfgang.moche@umweltbundesamt.at	
<b>Tel.:</b>	43-1-313045216	
<b>Fax:</b>	43-1-313045400	
<b>Laboratory available:</b>	Yes	
<b><u>Equipment Available</u></b>		
GC/ECD ; GC/LRMS ; GC/HRMS		
<b><u>Stockholm Convention POPs analysed</u></b>		
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs		
<b><u>PCB analysis</u></b>		
sum PCB 7 ; PCBs with TEFs		
<b><u>Matrices</u></b>		
Air ; Human milk ; Water ; Soil/sediment ; Plants		
<b>QA/QC System:</b>		Yes
<b>Participation in international inter-calibrations:</b>		Yes
<b><u>Tier</u></b>		
Tier 1		

## Belgium

<b>Name of Laboratory:</b>	Center for Analysis of Residues in Traces (CART)
<b>Address:</b>	Allé de la Chimie B6C 4000 Liege
<b>Country:</b>	Belgium
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Ir. G. Eppe
<b>E-mail:</b>	G.Eppe@ulg.ac.be
<b>Tel.:</b>	32-43-663433
<b>Fax:</b>	32-43-664387
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b> sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b> Human milk ; Human blood ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 1	

<b>Name of Laboratory:</b>	Institute for Applied Chromatography (I.A.C.) SGS Belgium NV
<b>Address:</b>	Haven 407, Polderdijkweg 16 2030 Antwerp
<b>Country:</b>	Belgium
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Marc Van Ryckeghem
<b>E-mail:</b>	Be_iac@sgs.com
<b>Tel.:</b>	3-5458590
<b>Fax:</b>	3-5458599
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## Canada

<b>Name of Laboratory:</b>	Centre d'expertise en analyse environnementale de Québec
<b>Address:</b>	Complexe Scientifique, 2700, rue Einstein - breau E-2-220 G1P 3W8 Sainte-Foy
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	M. Serge Noël
<b>E-mail:</b>	srge.noel@menv.gouv.qc.ca
<b>Tel.:</b>	418-643-1301
<b>Fax:</b>	418-528-1091
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	National Laboratory for Environmental Testing Environment Canada
<b>Address:</b>	867 Lakeshore Road, P.O. Box 5050 L7R 4A6 Burlington
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Ms. Cynthia Young
<b>E-mail:</b>	dave.warry@ec.gc.ca
<b>Tel.:</b>	905-3364648
<b>Fax:</b>	905-3366404
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30	
<b><u>Matrices</u></b>	
Air ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 3	

<b>Name of Laboratory:</b>	Mabury Research Group on Fluorochemicals Dept of Chemistry,
<b>Address:</b>	80, St. Georg St. University of Toronto M5S3H6 Toronto Ontario
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Scott Mabury
<b>E-mail:</b>	Smabury@chem.utoronto.ca
<b>Tel.:</b>	416-978-1780
<b>Fax:</b>	416-978-3596
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	Toxicology Laboratory Institut National de Santé Publique du Québec
<b>Address:</b>	945 Ave Wolfe G1V 5B3 Sainte-Foy Qc
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Jean-Philippe Weber
<b>E-mail:</b>	jpweber@inspq.qc.ca
<b>Tel.:</b>	1-418-6505115
<b>Fax:</b>	1-418-6542148
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Human milk ; Human blood ; Fish ; Marine mammals or birds	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Laboratory Services Pest Management Registration Agency
<b>Address:</b>	960 Carling Ave K1A0C6 Ottawa
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Ronald Denault
<b>E-mail:</b>	ronald_denault@hc-sc.gc.ca
<b>Tel.:</b>	613-7591271
<b>Fax:</b>	613-7591260
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; DDT	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> Soil/sediment ; Plants ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

<b>Name of Laboratory:</b>	Analysis and Air Quality Division Environmental Technology Centre (ETC) Environment Canada
<b>Address:</b>	355 River Road K1A 0H3 Ottawa
<b>Country:</b>	Canada
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Richard Turle
<b>E-mail:</b>	richard.turle@ec.gc.ca
<b>Tel.:</b>	613-900-8559
<b>Fax:</b>	613-990-8568
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
PCBs with TEFs	
<b><u>Matrices</u></b>	
Air	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## Cyprus

<b>Name of Laboratory:</b>	State General Laboratory, Ministry of Health
<b>Address:</b>	Kimonos 44 1451 Nicosia
<b>Country:</b>	Cyprus
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Stella Canna Michaelidou
<b>E-mail:</b>	stellacm@spidernet.com.cy
<b>Tel.:</b>	357-22-301411
<b>Fax:</b>	357-22-316434
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Human milk ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

## Denmark

<b>Name of Laboratory:</b>	National Environmental Research Institute
<b>Address:</b>	Fredriksborgsvej 399 DK-4000 Roskilde
<b>Country:</b>	Denmark
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mrs. Pia Lassen
<b>E-mail:</b>	dmu@dmu.dk
<b>Tel.:</b>	45-46-301200
<b>Fax:</b>	45-46-301114
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Air ; Bivalves ; Human milk ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 2	

## Finland

<b>Name of Laboratory:</b>	National Public Health Institute (KTL) Laboratory of Chemistry
<b>Address:</b>	Neulaniementie 4 PO Box 95 FI-70701 Kuopio
<b>Country:</b>	Finland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Hannu Kiviranta
<b>E-mail:</b>	hannu.kiviranta@ktl.fi
<b>Tel.:</b>	358-17-201211
<b>Fax:</b>	358-17-201265
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
DDT ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Human blood ; Fish ; Marine mammals or birds ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	VTT Process
<b>Address:</b>	P.O. Box 1602 FIN-02044 VTT Espoo
<b>Country:</b>	Finland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Erik Sandell
<b>E-mail:</b>	erik.sandell@vtt.fi
<b>Tel.:</b>	358-9-4561
<b>Fax:</b>	358-9-4567026
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Fish ; Water	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## France

<b>Name of Laboratory:</b>	Micropollutants Technologie
<b>Address:</b>	5 Imp des Anciens Haut-Fourneaux - ZI du Gassion 57100 Thionville
<b>Country:</b>	France
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Adam Hachimi
<b>E-mail:</b>	micropoll@wanadoo.fr
<b>Tel.:</b>	33-3-82882290
<b>Fax:</b>	33-3-82882294
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Human milk ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	Laboratoire de Rouen-ETSA
<b>Address:</b>	49, rue Mustel 76022 Rouen
<b>Country:</b>	France
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Jean Reber
<b>E-mail:</b>	labo.rouen@wanadoo.fr
<b>Tel.:</b>	33-2-32102244
<b>Fax:</b>	33-2-32102241
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Bivalves ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	Centre de Géochimie de la Surface Laboratoire de Phisico-Chemie de L'atmosphère (LCPA) Université Louis Pasteur
<b>Address:</b>	1, rue Blessig 67084 Strasbourg cedex
<b>Country:</b>	France
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Maurice Millet
<b>E-mail:</b>	millet@illite.u-strasbg.fr
<b>Tel.:</b>	33-390-240422
<b>Fax:</b>	33-390-240402
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
Air	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Germany

<b>Name of Laboratory:</b>	ERGO Forschungsgesellschaft mbH
<b>Address:</b>	Geierstrasse 1 22305 Hamburg
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Thomas Herrmann
<b>E-mail:</b>	thomas.herrmann@ergo-research.com
<b>Tel.:</b>	49-40-697096-0
<b>Fax:</b>	49-40-697096-99
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Human blood ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Eurofins - Oekometric GmbH
<b>Address:</b>	Bernecker Str. 17-21 D-95448 Bayreuth
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Jamshid Hosseinpour
<b>E-mail:</b>	hosseinpour@oekometric.de
<b>Tel.:</b>	49-921-72633
<b>Fax:</b>	49-921-72633
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Human blood ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	GSF - National Research Centre for Environment and Health Institute of Ecological Chemistry Dioxin Laboratory
<b>Address:</b>	Ingolstaedter Landstrase 1 85764 Neuherberg
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mrs. Véronique Peronnet
<b>E-mail:</b>	peronnet@gsf.de
<b>Tel.:</b>	49-89-31873147
<b>Fax:</b>	49-89-31873371
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Human blood ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Federal Institute of Hydrology
<b>Address:</b>	Am Mainzer Tor 1 D-56068 Koblenz
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Vera Breitung
<b>E-mail:</b>	breitung@bafg.de
<b>Tel.:</b>	49-261-1306-0
<b>Fax:</b>	49-261-13065363
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; Have MS (but not used for POPs)	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	Central Laboratory of the Bavarian EPA (Bayerisches LfU)
<b>Address:</b>	Bürgermeister-Ulrich-Str. 160 86179 Augsburg
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Wolfgang Körner
<b>E-mail:</b>	wolfgang.koerner@lfu.bayern.de
<b>Tel.:</b>	49-821-90715300
<b>Fax:</b>	49-821-90715559
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	State Institute for Chemical and Veterinary Analysis of Food, Dioxin laboratory and pesticide laboratory (CVUA)
<b>Address:</b>	Bissierstr. 5 79114 Freiburg
<b>Country:</b>	Germany
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Rainer Malisch
<b>E-mail:</b>	rainer.malisch@cvuafr.bwl.de
<b>Tel.:</b>	49-761-8855133
<b>Fax:</b>	49-761-8855100
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b>	
Human milk ; Fish	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

## Greece

<b>Name of Laboratory:</b>	Mass spectrometry and dioxin analysis lab
<b>Address:</b>	27, Neapoleos str., 153 10 Aghia Paraskevi
<b>Country:</b>	Greece
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Leondios Leondiadis
<b>E-mail:</b>	leondi@rrp.demokritos.gr
<b>Tel.:</b>	302-10-6503610
<b>Fax:</b>	302-10-6536873
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Human blood ; Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## ***Ireland***

<b>Name of Laboratory:</b>	Environmental Protection Agency
<b>Address:</b>	Richview, Clonskeagh Road 14 Dublin
<b>Country:</b>	Ireland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Ciaran O'Donnell
<b>E-mail:</b>	c.odonnell@epa.ie
<b>Tel.:</b>	353-1-2680100
<b>Fax:</b>	353-1-2680199
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
<b>GC/LRMS</b>	
<b><u>Stockholm Convention POPs analysed</u></b>	
<b>Dieldrin ; Endrin ; Aldrin ; PCBs</b>	
<b><u>PCB analysis</u></b>	
<b>sum PCB 7</b>	
<b><u>Matrices</u></b>	
<b>Water ; No GMP matrices</b>	
<b>QA/QC System:</b>	No
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
<b>Tier 4</b>	

## Italy

<b>Name of Laboratory:</b>	Eco-Research
<b>Address:</b>	Via Negrelli 13 I-39100 Bolzano
<b>Country:</b>	Italy
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Werner Tirler
<b>E-mail:</b>	w.tirler@eco-research.it
<b>Tel.:</b>	39-0471-921986
<b>Fax:</b>	39-0471-508470
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

## **Luxembourg**

<b>Name of Laboratory:</b>	Luxcontrol S.A.
<b>Address:</b>	1, avenue des Terres Rouges 4330 Esch-sur-Alzette
<b>Country:</b>	Luxembourg
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Mohammed Chtaib
<b>E-mail:</b>	info@luxcontrol.com
<b>Tel.:</b>	352-54-77111
<b>Fax:</b>	352-547930
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

## Monaco

<b>Name of Laboratory:</b>	International Atomic Energy Agency Marine Environment Laboratory
<b>Address:</b>	4 Quai Antoine 1er MC-98000 Monaco
<b>Country:</b>	Monaco
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Stephen J. de Mora
<b>E-mail:</b>	mel@monaco.iaea.org
<b>Tel.:</b>	377-97-977272
<b>Fax:</b>	377-97-977273
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs	
<b>PCB analysis</b> PCBs, non congener specific ; sum PCB 7	
<b>Matrices</b> Bivalves ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 2	

## Netherlands

<b>Name of Laboratory:</b>	Laboratory for Analytical Chemistry - RIVM
<b>Address:</b>	P.O. Box 1 3720 BA Bilthoven
<b>Country:</b>	Netherlands
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Bert Baumann
<b>E-mail:</b>	bert.baumann@rivm.nl
<b>Tel.:</b>	31-30-2742865
<b>Fax:</b>	31-30-2744424
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human milk ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	BioDetection Systems B.V.
<b>Address:</b>	Badhuisweg 3 1031 CM Amsterdam
<b>Country:</b>	Netherlands
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Harrie Besselink
<b>E-mail:</b>	bram.brouwer@bds.nl
<b>Tel.:</b>	31-20-4350750
<b>Fax:</b>	31-20-4350757
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
No GC	
<b><u>Stockholm Convention POPs analysed</u></b>	
No POPs analysed	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b>	
<b>QA/QC System:</b>	
<b>Participation in international inter-calibrations:</b>	
<b><u>Tier</u></b>	
Laboratory without POPs analysis	

<b>Name of Laboratory:</b>	Netherlands Institute for Fisheries Research, Dept. of Environment and Food Safety
<b>Address:</b>	PO Box 68 (Haringkade 1) 1970 AB IJmuiden
<b>Country:</b>	Netherlands
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. J. de Boer
<b>E-mail:</b>	jacob.deboer@wur.nl
<b>Tel.:</b>	31-255-564736
<b>Fax:</b>	31-255-564644
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Human milk ; Fish ; Marine mammals or birds ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

## ***New Zealand***

<b>Name of Laboratory:</b>	AgriQuality Limited
<b>Address:</b>	P O Box 31 242 Lower Hutt
<b>Country:</b>	New Zealand
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Harry J. van Enkevort
<b>E-mail:</b>	environmental@agriquality.com
<b>Tel.:</b>	64-4-5708800
<b>Fax:</b>	64-4-5708176
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Bivalves ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## Norway

<b>Name of Laboratory:</b>	Norwegian Institute for Air Research
<b>Address:</b>	The polar environmental centre Hjalmar Johansens gt. 14 N-9296 Tromso
<b>Country:</b>	Norway
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Dorte Herzke
<b>E-mail:</b>	dorte.herzke@nilu.no
<b>Tel.:</b>	47-777-50397
<b>Fax:</b>	47-777-50376
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Toxaphene ; PCBs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30	
<b>Matrices</b>	
Air ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 2	

<b>Name of Laboratory:</b>	Laboratory of Environmental Toxicology Norwegian School of Veterinary Science
<b>Address:</b>	PO BOX 8146 DEP 0033 Oslo
<b>Country:</b>	Norway
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Prof. Janneche Utne Skaare
<b>E-mail:</b>	janneche.skaare@vetinst.no
<b>Tel.:</b>	47-23-216000, ext 6200
<b>Fax:</b>	47-23-216201
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; DDT ; Mirex ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Human milk ; Human blood	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

## Portugal

<b>Name of Laboratory:</b>	Laboratorio de Referencia do Ambiente
<b>Address:</b>	Rua da Murgueira 9-9A Alfragide 2721-865 Amadora
<b>Country:</b>	Portugal
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mrs. Tereza Vinhas
<b>E-mail:</b>	teresa.vinhas@iambiente.pt
<b>Tel.:</b>	214728200
<b>Fax:</b>	214728379
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Heptachlor ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7	
<b>Matrices</b>	
Bivalves ; Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

## Spain

<b>Name of Laboratory:</b>	POPs Analysis Laboratory of CIEMAT
<b>Address:</b>	Avda. Complutense, 22. Ed 20 280 40 Madrid
<b>Country:</b>	Spain
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Begoña Fabrellas
<b>E-mail:</b>	begona.fabrellas@ciemat.es
<b>Tel.:</b>	34-91-3466019
<b>Fax:</b>	34-91-3466269
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Human blood ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

## Sweden

<b>Name of Laboratory:</b>	Laboratory for Analytical Environmental Chemistry, Institute of Applied Environmental Research (ITM)
<b>Address:</b>	Stockholm University 106 91 Stockholm
<b>Country:</b>	Sweden
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Prof. Michael McLachlan
<b>E-mail:</b>	michael.mclachlan@itm.su.se
<b>Tel.:</b>	46-8-6747228
<b>Fax:</b>	46-8-6747637
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; DDT ; PCBs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Bivalves ; Fish ; Marine mammals or birds	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 2	

<b>Name of Laboratory:</b>	AnalyCen AB
<b>Address:</b>	Box 905 Sjöhagsgatan 3 53119 Lidköping
<b>Country:</b>	Sweden
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Per Ivarsson
<b>E-mail:</b>	per.ivarsson@analycen.se
<b>Tel.:</b>	46-510-88700
<b>Fax:</b>	46-510-66438
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b> Bivalves ; Human milk ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

<b>Name of Laboratory:</b>	Environmental Chemistry, Dept. of Chemistry Umea University
<b>Address:</b>	901 87 Umea
<b>Country:</b>	Sweden
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Prof. Mats Tysklind
<b>E-mail:</b>	mats.tysklind@chem.umu.se
<b>Tel.:</b>	46-90-7866668
<b>Fax:</b>	46-90-128133
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Air ; Bivalves ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Organic Environmental Chemistry Section Department of Environmental Assessment
<b>Address:</b>	Swedish University of Agricultural Sciences PO Box 7050 750 07 Uppsala
<b>Country:</b>	Sweden
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Henrik Kylin
<b>E-mail:</b>	henrik.kylin@ma.slu.se
<b>Tel.:</b>	46-18-673052
<b>Fax:</b>	46-18-673156
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7	
<b><u>Matrices</u></b> Fish ; Water ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

## Switzerland

<b>Name of Laboratory:</b>	Swiss Federal Laboratories for Materials Testing and Research Laboratory of Organic Chemistry (Empa)
<b>Address:</b>	Überlandstrasse 129 CH-8600 Dübendorf
<b>Country:</b>	Switzerland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Peter Schmid
<b>E-mail:</b>	peter.schmid@empa.ch
<b>Tel.:</b>	41-1-8234651
<b>Fax:</b>	41-1-8234041
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	SECOE/STIPI
<b>Address:</b>	Avenue de Sainte-Clotilde 23 1211 Geneve 8
<b>Country:</b>	Switzerland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Karel Valter
<b>E-mail:</b>	karel.valter@etat.ge.ch
<b>Tel.:</b>	41-22-3278000
<b>Fax:</b>	41-22-3278009
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Water ; Soil/sediment ; No GMP matrices	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b>	
Tier 4	

<b>Name of Laboratory:</b>	University of Basel Department of Chemistry/Organic Chemistry
<b>Address:</b>	Neuhausstrasse 31 4057 Basel
<b>Country:</b>	Switzerland
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Prof. Dr. M. Oehme
<b>E-mail:</b>	michael.oehme@unibas.ch
<b>Tel.:</b>	41-61-6392301
<b>Fax:</b>	41-61-6392300
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> Chlordane ; DDT ; Toxaphene	
<b><u>PCB analysis</u></b>	
<b><u>Matrices</u></b> Human milk ; Human blood ; Fish ; Marine mammals or birds ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 4	

## **United Kingdom**

<b>Name of Laboratory:</b>	The Central Sceince Laboratory
<b>Address:</b>	Sand Hutton YO 41 1 LZ York
<b>Country:</b>	United Kingdom
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Michael Wilson
<b>E-mail:</b>	science@csl.gov.uk
<b>Tel.:</b>	44-1904-462000
<b>Fax:</b>	44-1904-462111
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Human blood ; Fish ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	

<b>Name of Laboratory:</b>	Lancaster University Environmental Organic Chemistry Group
<b>Address:</b>	Environmental Science Department LA1 4YQ Lancaster
<b>Country:</b>	United Kingdom
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Prof. Kevin Jones
<b>E-mail:</b>	k.c.jones@lancaster.ac.uk
<b>Tel.:</b>	44-1524-593972
<b>Fax:</b>	44-1524-593985
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b> PCBs ; PCDD/PCDFs	
<b>PCB analysis</b> sum PCB 7 ; PCBs with TEFs	
<b>Matrices</b> Air ; Human milk ; Human blood ; Marine mammals or birds ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b> Tier 1	

<b>Name of Laboratory:</b>	CEFAS Burnham Laboratory
<b>Address:</b>	Rememberence Avenue CM0 8DB Burnham on Crouch
<b>Country:</b>	United Kingdom
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Robin Law
<b>E-mail:</b>	r.j.law@cefas.co.uk
<b>Tel.:</b>	44-1621-787200
<b>Fax:</b>	44-1621-784989
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; DDT ; Dieldrin ; PCBs	
<b><u>PCB analysis</u></b>	
sum PCB 7	
<b><u>Matrices</u></b>	
Bivalves ; Fish ; Marine mammals or birds ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 2	

## USA

<b>Name of Laboratory:</b>	Pace Specialty Analytical Services
<b>Address:</b>	15081 Windsor Lane Noblesville Indiana 46060
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Michael D. King
<b>E-mail:</b>	mking@pacelabs.com
<b>Tel.:</b>	1-317-7749068
<b>Fax:</b>	1-317-7749069
<b>Laboratory available:</b>	Yes
<b>Equipment Available</b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b>Stockholm Convention POPs analysed</b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b>PCB analysis</b>	
sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b>Matrices</b>	
Air ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b>Tier</b>	
Tier 1	

<b>Name of Laboratory:</b>	US EPA/OPPTS/OPP/BEAD Environmental Chemistry Laboratory
<b>Address:</b>	Mail code 7503ECB Stennis Space Centre 39529 MS
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. Joseph Ferrario
<b>E-mail:</b>	ferrario.joseph@epa.gov
<b>Tel.:</b>	228-6883212
<b>Fax:</b>	228-6883536
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Human milk ; Human blood ; Fish ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

<b>Name of Laboratory:</b>	Alta Analytical Laboratory
<b>Address:</b>	1104 Windfield Way WI Dorado Hills 95762 CA
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Mr. William Luksemburg
<b>E-mail:</b>	billux@altalab.com
<b>Tel.:</b>	916-9331640
<b>Fax:</b>	916-6730106
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b> Bivalves ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Alta Analytical Perspectives, LLC
<b>Address:</b>	2714 Exchange Drive 28 405 Wilmington NC
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Yves Tondeur
<b>E-mail:</b>	yt@ultratrace.com
<b>Tel.:</b>	910-794-1613
<b>Fax:</b>	910-794-3919
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b> PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b> sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b> Air ; Bivalves ; Human milk ; Human blood ; Fish ; Marine mammals or birds ; Water ; Soil/sediment ; Plants	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b> Tier 1	

<b>Name of Laboratory:</b>	Environmental Chemistry Lab. School of Public and Environmental Affairs
<b>Address:</b>	1315 E. 10th Street Bloomington 47 405 Indiana
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Ronald Hites
<b>E-mail:</b>	hitesr@indiana.edu
<b>Tel.:</b>	812-855-0193
<b>Fax:</b>	812-855-1076
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b> GC/ECD ; GC/LRMS	
<b><u>Stockholm Convention POPs analysed</u></b> HCB ; Chlordane ; Heptachlor ; DDT ; Dieldrin ; Endrin ; Aldrin ; Toxaphene ; PCBs	
<b><u>PCB analysis</u></b> sum PCB 7 ; sum PCB 30 ; PCBs with TEFs	
<b><u>Matrices</u></b> Fish ; Soil/sediment	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	No
<b><u>Tier</u></b> Tier 2	

<b>Name of Laboratory:</b>	Organic Analytical Toxicology, POPs
<b>Address:</b>	4770 Buford Hwy, NE, F-17 30341 Atlanta Georgia
<b>Country:</b>	USA
<b>Region:</b>	WEOG
<b>Contact Person:</b>	Dr. Donald G. Patterson Jr.
<b>E-mail:</b>	dgp1@cdc.gov
<b>Tel.:</b>	770-488-4207
<b>Fax:</b>	770-488-0142
<b>Laboratory available:</b>	Yes
<b><u>Equipment Available</u></b>	
GC/ECD ; GC/LRMS ; GC/HRMS	
<b><u>Stockholm Convention POPs analysed</u></b>	
HCB ; Chlordane ; Heptachlor ; DDT ; Mirex ; Dieldrin ; Endrin ; Aldrin ; PCBs ; PCDD/PCDFs	
<b><u>PCB analysis</u></b>	
sum PCB 7 ; PCBs with TEFs	
<b><u>Matrices</u></b>	
Human milk ; Human blood	
<b>QA/QC System:</b>	Yes
<b>Participation in international inter-calibrations:</b>	Yes
<b><u>Tier</u></b>	
Tier 1	